

# A simulator for organisation-centred MAS adaptation in P2P sharing networks

Jordi Campos and Maite Lopez-Sanchez  
 Universitat de Barcelona  
 Gran Via 585  
 08007 Barcelona, Spain  
 {jcampos, maite}@maia.ub.es

Marc Esteva and Javier Morales  
 IIIA, CSIC  
 Campus de la UAB  
 E-08193 Bellaterra, Spain  
 {marc, jmorales}@iiia.csic.es

## ABSTRACT

We present a simulator to compare different approaches to organisation-centred MAS adaptation in a peer-to-peer (P2P) scenario. In particular, we describe our approach to MAS adaptation (2-LAMA), the P2P sharing network case study and the software we built to evaluate different alternatives.

## Categories and Subject Descriptors

I.2.11 [Artificial Intelligence]: Distributed Artificial Intelligence—*Multiagent systems, Coherence and coordination*

## General Terms

Design, Experimentation, Performance

## Keywords

Assistance, Coordination, Organisation, P2P, MAS

## 1. INTRODUCTION

Organisational centred multi-agent systems (OCMAS) have proved to be effective to regulate agents' activities. Nevertheless, population and/or environmental changes may lead to a poor fulfilment of the system's purposes, and therefore, adapting the whole organisation becomes key. In order to endow an OCMAS with self-adaptation capabilities, we propose to incorporate a *meta-level* in charge of adapting system's organisation. Hence, we call our approach Two Level Assisted MAS Architecture (2-LAMA) [2]. As a case study, we apply this approach to a P2P sharing network scenario. Moreover, we built a simulator<sup>1</sup> to analyse and compare different adaptation alternatives in such a scenario. Thus it can be used as a testbed for comparing them. The simulator also provides different visual tools to analyse the behaviour of the system and its adaptation. In the following sections we present our MAS adaptation approach, the P2P case study and the simulator we built.

<sup>1</sup>Video: <http://namaste.maia.ub.es/2LAMA/video.ogv>

**Cite as:** A simulator for organisation-centred MAS adaptation in P2P sharing networks, J.Campos, M.Lopez-Sanchez, M.Esteva, J.Morales, *Proc. of 9th Int. Conf. on Autonomous Agents and Multiagent Systems (AAMAS 2010)*, van der Hoek, Kaminka, Lespérance, Luck and Sen (eds.), May, 10–14, 2010, Toronto, Canada, pp. 1615-1616 Copyright © 2010, International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.




Figure 1: Two Level Assisted MAS Architecture (2-LAMA): Domain Level (DL), Meta Level (ML) and Interface.

## 2. 2-LAMA MODEL

Organisational entities are used by some MAS to regulate their participants' coordination [1]. We describe these entities as  $Org = \langle SocStr, SocConv, Goals \rangle$ , where *SocStr* stands for a social structure (roles and their relationships), *SocConv* stands for social conventions (that agents should conform and expect others to conform, i.e. protocols and norms) and *Goals* stands for the organisational design's purpose. In order to improve system's performance under varying circumstances, we suggest to add a meta-level in charge of updating its organisation. To provide such an adaptation, we propose goal fulfilment as its driving force within the context of a rational world assumption. Specifically, we propose a Two Level Assisted MAS Architecture (2-LAMA) [2]. It consists on a distributed *meta-level* (ML) that provides assistance to a *domain-level* (DL) in charge of domain-specific tasks. Figure 1 shows them and their communication through an interface (*Int*). Thus, the whole system can be denoted as  $2LAMA = \langle ML, DL, Int \rangle$ —it is possible to nest subsequent *meta-levels* by updating previous level's organisation. Each level has a set of agents with its own organisation:  $DL = \langle Ag_{DL}, Org_{DL} \rangle$  and  $ML = \langle Ag_{ML}, Org_{ML} \rangle$ . Using the interface, ML agents perceive partial information—in many scenarios global information is not available—about environmental observable properties (e.g. date or temperature) and agents' observable properties (e.g. colour or position). In particular, a ML agent has partial information about the subset of DL agents it assists. We assume DL agents are grouped into clusters according to a domain-specific criterion—e.g. interaction costs. Therefore, a ML agent—we call it *assistant*—assists a cluster of DL agents, observes partial information about them, and shares it with




Figure 2: Simulator's Graphic User Interface

other ML agents in order to provide better assistance services.

### 3. P2P SCENARIO

Our case study is a Peer-to-Peer sharing network (P2P). In this scenario, a set of computers connected to the Internet (peers) share some data. Initially, not all of them have such data, but they exchange pieces of it in order to collect the whole information. The performance is evaluated in terms of time and network consumptions during the sharing process. The faster the data is obtained and the less network bandwidth is consumed, the better for the users. Notice, though, that there is a trade-off between time and network usage. Thus, although a peer can potentially contact any other peer, it usually contacts just a subset (*overlay network*) in order to consume less network.

Under our 2-LAMA approach, these described peers constitute the domain-level of the system. We define its organisation according to its social structure (i.e. the overlay network), a simplified version of the BitTorrent protocol (data has only a single piece) and two norms (one that limits the bandwidth a peer can use, and another one that limits the number of peers that can be served simultaneously). Furthermore, we add the meta-level agents—assistants—to adapt such an organisation. Each assistant is in charge of the cluster of peers that are attached to its same Internet Service Provider within the network topology.

### 4. SIMULATOR

We implemented the simulator<sup>2</sup> over Repast Symphony<sup>3</sup>, extending its capabilities to deal with OCMAS and the P2P scenario. Its architecture has three components: a Graphical User Interface (GUI), an *Agent Simulator* and a *Network Simulator*. Figure 2 depicts a GUI screen-shot that illustrates its general appearance. The *Control toolbar* (1) pertains to the original Repast GUI and allows, among other features, to play the simulation, pause it or execute it step by step. On the left area, the *Legend panel* shows information about what represents each layout object (2), the colours of the different messages exchanged among agents (3), whether they are visible or not, and if execution will pause upon sending this kind of messages (4). All these options can be modified by users. Thus, the legend allows an easy identification of each object and message to interpret

<sup>2</sup><http://namaste.maia.ub.es/2LAMA/download>

<sup>3</sup><http://repast.sourceforge.net>

what is happening in the simulation at every moment. The *Main layout* (5) shows the elements of the simulation and the communications among them. Peers and assistants are drawn according to the network topology, while messages are displayed as arrows among them with the corresponding colour defined in the legend panel. Finally, the *Resume layout* (6) displays how the data has been distributed among the different peers. It highlights completed peers and displays arrows connecting source and receiver agents. These arrows are labelled with the time step at which the datum was received. In addition, the simulator generates log files containing all occurred events during executions. It includes a module for facilitating the analysis of simulation results. For this purpose, this module processes the generated logs extracting relevant information, which is later on displayed in different types of graphics. Hence, this can be used to compare the time spent to share the data in different configurations, or using different sharing methods.

The Agent Simulator component represents the conceptual model defined by the 2-LAMA targeted to drive the simulation at *agent-level*. Among others, it provides facilities to create state-based agents, and to define a problem (number of peers, who has initially the datum, etc). Finally, the Network Simulator component drives the simulation at *network-level*, simulating message transport as a packet switching network. It provides facilities to define different network topologies, and to collect statistical information about network status.

Current implementation offers different alternate adaptation mechanisms that can be executed over the same configurations to compare their results. In particular, it includes two 2-LAMA alternatives: one where assistants use an heuristic to decide how to adapt the system, and one where assistants use machine learning (Case Based Reasoning, CBR) to take such decisions. In addition, it also offers an implementation of BitTorrent as a standard P2P protocol reference. Notice, that simulator's components are easily extensible to implement other adaptation mechanisms or P2P protocols to compare them with current ones.

### 5. FUTURE WORK

As future work, we plan to extend the simulator with peers that enter or leave at any moment and violate norms. Even more, we plan to let user control a peer agent in order to increase simulator's interactivity capacity. These features will let us test open MAS issues on our 2-LAMA approach.

**Acknowledgements:** This work is partially funded by IEA (TIN2006-15662-C02-01), EVE (TIN2009-14702-C02-01 / TIN2009-14702-C02-02) and AT (CONSOLIDER CSD2007-0022) projects, EU-FEDER funds, the Catalan Gov. (Grant 2005-SGR-00093) and Marc Esteva's Ramon y Cajal contract.

### 6. REFERENCES

- [1] Jordi Campos, Maite López-Sánchez, and Marc Esteva. Assistance layer, a step forward in Multi-Agent Systems Coordination Support. In *Autonomous Agents and Multiagent Systems*, pages 1301–1302, 2009.
- [2] Jordi Campos, Maite López-Sánchez, and Marc Esteva. Multi-Agent System adaptation in a Peer-to-Peer scenario. In *ACM SAC09 - Agreement Technologies*, pages 735–739, 2009.