

(Arbitrary) Partial Communication

Rustam Galimullin

Department of Information Science and Media Studies,
University of Bergen
Bergen, Norway
Rustam.Galimullin@uib.no

Fernando R. Velázquez-Quesada

Department of Information Science and Media Studies,
University of Bergen
Bergen, Norway
Fernando.VelazquezQuesada@uib.no

ABSTRACT

Communication within groups of agents has been lately the focus of research in dynamic epistemic logic (DEL). This paper studies a recently introduced form of *partial* (more precisely, *topic-based communication*). This type of communication allows for modelling scenarios of multi-agent collaboration and negotiation, and it is particularly well-suited for situations in which sharing all information is not feasible/advisable. After presenting results on invariance and complexity of model checking, the paper compares partial communication to public announcements, probably the most well-known type of communication in DEL. It is shown that the settings are, update-wise, incomparable: there are scenarios in which the effect of a public announcement cannot be replicated by partial communication, and vice versa. Then, the paper shifts its attention to *strategic topic-based communication*. It does so by extending the language with a modality that quantifies over the topics the agents can ‘talk about’. For this new framework, it provides a complete axiomatisation, showing also that the new language’s model checking problem is *PSPACE*-complete. The paper closes showing that, in terms of expressivity, this new language of arbitrary partial communication is incomparable to that of arbitrary public announcements.

CCS CONCEPTS

• Theory of computation → Modal and temporal logics.

KEYWORDS

partial communication; arbitrary partial communication; distributed knowledge; public announcement; dynamic epistemic logic; epistemic logic

ACM Reference Format:

Rustam Galimullin and Fernando R. Velázquez-Quesada. 2023. (Arbitrary) Partial Communication. In *Proc. of the 22nd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2023), London, United Kingdom, May 29 – June 2, 2023*, IFAAMAS, 9 pages.

1 INTRODUCTION

Epistemic logic (*EL*; [22]) is a powerful framework for representing the individual and collective knowledge/beliefs of a group of agents. When using relational ‘Kripke’ models, its crucial idea is the use of uncertainty for defining knowledge. Indeed, such structures assign to each agent a binary *indistinguishability* relation among epistemic possibilities. Then, it is said that agent i knows that φ is the case (syntactically: $K_i \varphi$) when φ holds in all situations i considers possible. Despite its simplicity, *EL* has contributed to

the formal study of complex multi-agent epistemic phenomena in philosophy [21], computer science [14], AI [27] and economics [12].

One of the most appealing aspects of *EL* is that it can be used for reasoning about information change. This has been the main subject of dynamic epistemic logic (*DEL*; [31, 37]), a field whose main feature is that actions are semantically represented as operations that transform the underlying semantic model. Within *DEL*, one of the simplest meaningful epistemic actions is that of a *public announcement*: an external source providing the agents with truthful information in a fully public way [17, 28]. Yet, the agents do not need an external entity to feed them with facts: they can also share their individual information with one another. This is arguably a more suitable way of modelling information change in multi-agent (and, in particular, distributed) systems. Agents might occasionally receive information ‘from the outside’, but the most common form of interaction is the one in which they themselves engage in ‘conversations’ for sharing what they have come to know so far. It is this form of information exchange that allows independent entities to engage in collaboration, negotiation and so on.

Communication between agents can take several forms, with some of these alternatives explored within *DEL*. A single agent might share all her information with everybody [8]. Alternatively, a group of agents might share all their information only among themselves, as represented by the action of “resolving distributed knowledge” from [3]. One can even think about this form of communication not as a form of ‘sharing’, but rather as a form of ‘taking’ [10, 11], which allows the study of public and private forms of reading someone else’s information (e.g., hacking).

These approaches for communication have a common feature: the sharing agents share *all their information*. This is of course useful, as then one can reason about the best the agents can do together. But there are also scenarios (arguably more common) in which sharing all her available information might not be feasible or advisable for an agent. For the first, there might be constraints on the communication channels; for the second, agents might not be in a cooperative scenario, but rather in a competitive one. In such cases, one would be rather interested in studying forms of *partial communication*, through which agents share only ‘part of what they know’. There might be different ways to make precise what each agent shares, but a natural one is to assume that the ‘conversation’ is relative to a subject/topic, defined by a given formula χ . Introduced in [39], this type of communication allows a more realistic modelling of scenarios of multi-agent collaboration and negotiation. The first part of this paper studies computational aspects of this *partial communication* framework. It starts (Section 2) by recalling the main definitions and axiom system, providing then novel invariance and model checking results. After that, it discusses (Section 3) the setting’s relationship with the public announcement

Proc. of the 22nd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2023), A. Ricci, W. Yeoh, N. Agmon, B. An (eds.), May 29 – June 2, 2023, London, United Kingdom. © 2023 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.

framework, showing that although the languages are equally expressive, in general the operations cannot mimic each other.

Still, in truly competitive scenarios, what matters the most is the decision of *what* to share. In other words, what matters is to reason about *strategic* topic-based communication. To do so, the second part of this paper introduces a framework for quantifying over the conversation’s topic. It presents (Section 4) the basic definitions, providing then results on invariance, axiom system, expressivity and model checking. After that, it compares this new setting with that of arbitrary public announcements, proving that the languages are, expressivity-wise, incomparable. Section 5 contrasts choices made with their alternatives, and Section 6 summarises the paper’s contents, discussing also further research lines.

2 BACKGROUND

Throughout this text, let A be a finite non-empty group of agents, and let P be a non-empty enumerable set of atomic propositions.

Definition 2.1 (Model). A *multi-agent relational model* (from now on, a model) is a tuple $M = \langle W, R, V \rangle$ where W (also denoted as $\mathfrak{D}(M)$) is a non-empty set of objects called *possible worlds*, $R = \{R_i \subseteq W \times W \mid i \in A\}$ assigns a binary “*indistinguishability*” relation on W to each agent in A (for $G \subseteq A$, define $R_G := \bigcap_{k \in G} R_k$), and $V : P \rightarrow \wp(W)$ is an atomic valuation (with $V(p)$ the set of worlds in M where $p \in P$ holds). A pair (M, w) with M a model and $w \in \mathfrak{D}(M)$ is a *pointed model*, with w being the *evaluation point*. A model M is *finite* iff both W and $\bigcup_{w \in W} \{p \in P \mid w \in V(p)\}$ are finite. If $M = \langle W, R, V \rangle$ is finite, its *size* (notation: $|M|$) is $|W| + \sum_{i \in A} |R_i| + \sum_{w \in W} |\{p \in P \mid w \in V(p)\}|$.

In a model, the agents’ indistinguishability relations are arbitrary. In particular, they need to be neither reflexive nor symmetric nor Euclidean nor transitive. Hence, “*knowledge*” here is neither truthful nor positively/negatively introspective. It rather corresponds simply to “what is true in all the agent’s epistemic alternatives”.

Definition 2.2 (Relative expressivity). Let \mathcal{L}_1 and \mathcal{L}_2 be two languages interpreted over pointed models. It is said that \mathcal{L}_2 is *at least as expressive as* \mathcal{L}_1 (notation: $\mathcal{L}_1 \preceq \mathcal{L}_2$) if and only if for every $\alpha_1 \in \mathcal{L}_1$ there is $\alpha_2 \in \mathcal{L}_2$ such that α_1 and α_2 have the same truth-value in every pointed model. Write $\mathcal{L}_1 \approx \mathcal{L}_2$ when $\mathcal{L}_1 \preceq \mathcal{L}_2$ and $\mathcal{L}_2 \preceq \mathcal{L}_1$; write $\mathcal{L}_1 < \mathcal{L}_2$ when $\mathcal{L}_1 \preceq \mathcal{L}_2$ and $\mathcal{L}_2 \not\preceq \mathcal{L}_1$; write $\mathcal{L}_1 \times \mathcal{L}_2$ when $\mathcal{L}_1 \not\preceq \mathcal{L}_2$ and $\mathcal{L}_2 \not\preceq \mathcal{L}_1$.

Note: to show $\mathcal{L}_1 \not\preceq \mathcal{L}_2$, it is enough to find two pointed models that agree in all $\alpha_1 \in \mathcal{L}_2$ but can be distinguished by some $\alpha_2 \in \mathcal{L}_1$

2.1 Basic Language

Here is this paper’s basic language for describing pointed models.

Definition 2.3 (Language \mathcal{L}). Formulas φ, ψ in \mathcal{L} are given by

$$\varphi, \psi ::= p \mid \neg\varphi \mid \varphi \wedge \psi \mid D_G \varphi$$

for $p \in P$ and $\emptyset \subset G \subseteq A$. Boolean constants and other Boolean operators are defined as usual. Define also $K_i \varphi := D_{\{i\}} \varphi$. The *size* of φ , denoted $|\varphi|$, is given by $|p| := 1$, $|\neg\varphi| = |D_G \varphi| := |\varphi| + 1$ and $|\varphi \wedge \psi| := |\varphi| + |\psi| + 1$.

The language \mathcal{L} contains a modality D_G for each non-empty group of agents $G \subseteq A$. Formulas of the form $D_G \varphi$ are read as “the

Table 1: Axiom system L.

PR: $\vdash \varphi$ for φ a propositionally valid scheme
MP: If $\vdash \varphi$ and $\vdash \varphi \rightarrow \psi$ then $\vdash \psi$
K_D : $\vdash D_G(\varphi \rightarrow \psi) \rightarrow (D_G \varphi \rightarrow D_G \psi)$ G_D : If $\vdash \varphi$ then $\vdash D_G \varphi$
M_D : $\vdash D_G \varphi \rightarrow D_{G'} \varphi$ for $G \subseteq G'$

agents in G know φ distributively”; thus, $K_i \varphi$ is read as “agent i knows φ ”. The language’s semantic interpretation is as follows.

Definition 2.4 (Semantic interpretation for \mathcal{L}). Let (M, w) be a pointed model with $M = \langle W, R, V \rangle$. The satisfiability relation \models between (M, w) and formulas in \mathcal{L} is defined inductively. Boolean cases are as usual; for the rest,

$$(M, w) \models p \quad \text{iff}_{def} \quad w \in V(p),$$

$$(M, w) \models D_G \varphi \quad \text{iff}_{def} \quad \text{for all } u \in W, \text{ if } R_G w u \text{ then } (M, u) \models \varphi.$$

Given a model M and a formula φ ,

- the set $\llbracket \varphi \rrbracket^M := \{w \in \mathfrak{D}(M) \mid (M, w) \models \varphi\}$ contains the worlds in $\mathfrak{D}(M)$ in which φ holds (also called φ -worlds);
- the (note: equivalence) relation

$$\sim_\varphi^M := (\llbracket \varphi \rrbracket^M \times \llbracket \varphi \rrbracket^M) \cup (\llbracket \neg\varphi \rrbracket^M \times \llbracket \neg\varphi \rrbracket^M)$$

splits $\mathfrak{D}(M)$ into (up to) two equivalence classes: one containing all φ -worlds, and the other containing all $\neg\varphi$ -worlds.

A formula φ is valid (notation: $\models \varphi$) if and only if $(M, w) \models \varphi$ for every $w \in \mathfrak{D}(M)$ of every model M .

Axiom system. The axiom system L (Table 1) characterises the formulas in \mathcal{L} that are valid (see, e.g., [14, 19]). Boolean operators are taken care of by PR and MP. For the modality D_G , while rule G_D indicates that it ‘contains’ all validities, axiom K_D indicates that it is closed under modus ponens, and axiom M_D states that it is monotone on the group of agents (if φ is distributively known by G , then it is also distributively known by any larger group G').

THEOREM 2.5. *The axiom system L (Table 1) is sound and strongly complete for \mathcal{L} .*

Structural equivalence. The following notion will be useful.

Definition 2.6 (Collective Q-bisimulation [30]). Let $Q \subseteq P$ be a set of atoms; let $M = \langle W, R, V \rangle$ and $M' = \langle W', R', V' \rangle$ be two models. A non-empty relation $Z \subseteq W \times W'$ is a *collective Q-bisimulation between M and M'* if and only if every $(u, u') \in Z$ satisfies the following.

- **Atoms.** For every $p \in Q$: $u \in V(p)$ if and only if $u' \in V'(p)$.
- **Forth.** For every $G \subseteq A$ and every $v \in W$: if $R_G u v$ then there is $v' \in W'$ such that $R'_G u' v'$ and $(v, v') \in Z$.
- **Back.** For every $G \subseteq A$ and every $v' \in W'$: if $R'_G u' v'$ then there is $v \in W$ such that $R_G u v$ and $(v, v') \in Z$.

Write $M \stackrel{Q}{\rightleftharpoons} M'$ iff there is a collective Q-bisimulation between M and M' . Write $(M, w) \stackrel{Q}{\rightleftharpoons} (M', w')$ iff a witness for $M \stackrel{Q}{\rightleftharpoons} M'$ contains the pair (w, w') . Remove the superindex “ Q ” when Q is the full set of atoms P . Note: the relation of collective Q-bisimilarity is an equivalence relation, both on models and pointed models.

The language \mathcal{L} is invariant under collective bisimilarity.

THEOREM 2.7 (\rightleftharpoons_C IMPLIES \mathcal{L} -EQUIVALENCE). *Let (M, w) and (M', w') be two pointed models. If $(M, w) \rightleftharpoons_C^Q (M', w')$ then, for every $\psi \in \mathcal{L}$ containing only atoms from Q ,*

$$(M, w) \Vdash \psi \quad \text{if and only if} \quad (M', w') \Vdash \psi.$$

PROOF. For showing that a form of model equivalence implies invariance for a language, one usually uses induction on the language's formulas.¹ For P-bisimilarity and \mathcal{L} , see [30]. \square

Model checking This problem for \mathcal{L} is in P [14, Page 67].

2.2 Partial (Topic-Based) Communication

Through an action of partial communication, a group of agents $S \subseteq A$ share, with everybody, all their information about a given topic χ . To define it, consider first a simpler action. After agents in S share *all their information* with everybody, an agent i will consider a world u possible from a world w if and only if she and every agent in S considered u possible from w (i.e., i 's new relation $R^{S!}_i$ is the intersection of R_i and R_S). In other words, after full communication, at w agent i will consider u possible if and only if neither her nor any agent in S could rule out u from w before the action. But if agents in S share only 'their information about χ ' (intuitively, only what has allowed them to distinguish between χ - and $\neg\chi$ -worlds), edges between worlds agreeing in χ 's truth-value are not 'part of the discussion'; thus, they should not be eliminated.

Definition 2.8 (Partial communication [39]). Let $M = \langle W, R, V \rangle$ be a model; take a group of agents $S \subseteq A$ and a formula χ . The model $M_{S:\chi!} = \langle W, R^{S:\chi!}, V \rangle$, the result of agents in S sharing all they know about χ with everybody, is such that

$$R^{S:\chi!}_i := R_i \cap (R_S \cup \sim^M_\chi).$$

Thus, $R^{S:\chi!}_G = \bigcap_{i \in G} R^{S:\chi!}_i = R_G \cap (R_S \cup \sim^M_\chi) = R_{G \cup S} \cup (R_G \cap \sim^M_\chi)$. Additionally, $R^{\emptyset:\chi!}_i = R_i$.

Definition 2.9 (Modality $[S:\chi!]$ and language $\mathcal{L}_{S:\chi!}$ [39]). The language $\mathcal{L}_{S:\chi!}$ extends \mathcal{L} with a modality $[S:\chi!]$ for each $S \subseteq A$ and each formula χ . More precisely, define first $\mathcal{L}_{S:\chi!}^0 = \mathcal{L}$, and then define $\mathcal{L}_{S:\chi!}^{i+1}$ as the result of extending $\mathcal{L}_{S:\chi!}^i$ with an additional modality $[S:\chi!]$ for $S \subseteq A$ and $\chi \in \mathcal{L}_{S:\chi!}^i$. The language $\mathcal{L}_{S:\chi!}$ is then defined as $\bigcup_{i \in \mathbb{N}} \mathcal{L}_{S:\chi!}^i$. For its semantic interpretation,

$$(M, w) \Vdash [S:\chi!] \varphi \quad \text{iff}_{def} \quad (M_{S:\chi!}, w) \Vdash \varphi.$$

Defining $\langle S:\chi! \rangle \varphi := \neg [S:\chi!] \neg \varphi$ implies $\Vdash \langle S:\chi! \rangle \varphi \leftrightarrow [S:\chi!] \varphi$. The size of a formula $\varphi \in \mathcal{L}_{S:\chi!}$ is as in Theorem 2.3, with the additional clause $|[S:\chi!] \varphi| := |\chi| + |\varphi| + 1$.

Further motivation and details on partial communication can be found in [39]. Still, here are two revealing properties: $\Vdash [S:\chi_1!] \varphi \leftrightarrow [S:\chi_2!] \varphi$ for $\Vdash \chi_1 \leftrightarrow \chi_2$ (logically equivalent topics have the same communication effect) and $\Vdash [S:\chi!] \varphi \leftrightarrow [S:\neg\chi!] \varphi$ (communication on a topic is just as communication on its negation).

¹The proofs typically start by pulling out the universal quantifier over formulas, the statement becoming "for every φ , any structurally equivalent pointed models agree on φ 's truth-value". This yields a stronger inductive hypothesis (IH) thanks to which the proof can go through. This will be done throughout the rest of the text.

Table 2: Additional axioms and rules for $\mathcal{L}_{S:\chi!}$.

$A_{S:\chi!}^P$:	$\Vdash [S:\chi!] p \leftrightarrow p$
$A_{S:\chi!}^-$:	$\Vdash [S:\chi!] \neg \varphi \leftrightarrow \neg [S:\chi!] \varphi$
$A_{S:\chi!}^\wedge$:	$\Vdash [S:\chi!] (\varphi \wedge \psi) \leftrightarrow ([S:\chi!] \varphi \wedge [S:\chi!] \psi)$
$A_{S:\chi!}^D$:	$\Vdash [S:\chi!] D_G \varphi \leftrightarrow (D_{S \cup G} [S:\chi!] \varphi \wedge D_G^X [S:\chi!] \varphi)$
$RE_{S:\chi!}$:	If $\vdash \varphi_1 \leftrightarrow \varphi_2$ then $\vdash [S:\chi!] \varphi_1 \leftrightarrow [S:\chi!] \varphi_2$

Axiom system. The axioms and rule of Table 2 form, together with those in Table 1, a sound and strongly complete axiom system for $\mathcal{L}_{S:\chi!}$. They rely on the *DEL* reduction axioms technique (for an explanation, see [40] or [37, Section 7.4]), with axiom $A_{S:\chi!}^D$ being the crucial one. Using the abbreviation

$$D_G^X \varphi := (\chi \rightarrow D_G(\chi \rightarrow \varphi)) \wedge (\neg\chi \rightarrow D_G(\neg\chi \rightarrow \varphi))$$

("agents in G know distributively that χ 's truth value implies φ "),

the axiom indicates that a group G knows φ distributively after the action $([S:\chi!] D_G \varphi)$ if and only if the group $S \cup G$ knew, distributively, that φ would hold after the action $(D_{S \cup G} [S:\chi!] \varphi)$ and the agents in G know distributively that χ 's truth-value implies the action will make φ true ($D_G^X [S:\chi!] \varphi$).

From Table 2 one can define a truth-preserving translation from $\mathcal{L}_{S:\chi!}$ to \mathcal{L} , thanks to which the following theorem can be proved.

THEOREM 2.10 ([39]). *The axiom system $\mathcal{L}_{S:\chi!}$ (\mathcal{L} [Table 1]+Table 2) is sound and strongly complete for $\mathcal{L}_{S:\chi!}$.*

Structural equivalence. The modality $[S:\chi!]$ is invariant under collective bisimilarity.

THEOREM 2.11 (\rightleftharpoons_C IMPLIES $\mathcal{L}_{S:\chi!}$ -EQUIVALENCE). *Let (M, w) and (M', w') be two pointed models. If $(M, w) \rightleftharpoons_C (M', w')$ then, for every $\psi \in \mathcal{L}_{S:\chi!}$,*

$$(M, w) \Vdash \psi \quad \text{if and only if} \quad (M', w') \Vdash \psi.$$

PROOF. The language $\mathcal{L}_{S:\chi!}$ is $\bigcup_{i \in \mathbb{N}} \mathcal{L}_{S:\chi!}^i$, so the proof proceeds by induction on i , proving rather a stronger statement: for every $\psi \in \mathcal{L}_{S:\chi!}$ and every M and M' , if $(M, w) \rightleftharpoons_C (M', w')$ then **(1)** $(M, w) \Vdash \psi$ iff $(M', w') \Vdash \psi$, and **(2)** $(M_{S:\psi!}, w) \rightleftharpoons_C (M'_{S:\psi!}, w')$. This is [16, Theorem 2.11]. \square

Expressivity. It is clear that $\mathcal{L} \leq \mathcal{L}_{S:\chi!}$, as every formula in the former is also in the latter. Moreover: the reduction axioms in Table 2 define a recursive translation $tr : \mathcal{L}_{S:\chi!} \rightarrow \mathcal{L}$ such that $\varphi \in \mathcal{L}_{S:\chi!}$ implies $\Vdash \varphi \leftrightarrow tr(\varphi)$ [39].² This implies $\mathcal{L}_{S:\chi!} \leq \mathcal{L}$ and thus $\mathcal{L} \approx \mathcal{L}_{S:\chi!}$: the languages \mathcal{L} and $\mathcal{L}_{S:\chi!}$ are equally expressive.

Model checking The original work on topic-based communication [39] did not discuss computational complexity. Here we address that of the model checking problem for $\mathcal{L}_{S:\chi!}$.

Given a finite pointed model (M, w) and a formula $\varphi \in \mathcal{L}_{S:\chi!}$, the model checking strategy is as follows. Start by creating the list $\text{sub}(\varphi)$ of all subformulas of φ and all partial communication

²Note: the translation's complexity might be exponential, as it is for similar *DELs* (e.g., public announcement: [26]).

modalities $[S: \chi!]$ in it. Next, similarly to the approach in [25], label each element of $\text{sub}(\varphi)$ with the sequence of partial communication modalities inside the scope of which it appears. Finally, order the resulting list as follows: for $\psi_1^\sigma, \psi_2^\tau \in \text{sub}(\varphi)$ (with σ and τ the labellings) we have that ψ_1^σ precedes ψ_2^τ if and only if

- ψ_1^σ and ψ_2^τ are parts of modalities $[S: \chi!]$, and $\sigma < \tau$,³ or else
- ψ_1^σ appears within some $[S: \chi!]$, and ψ_2^τ does not, or else
- ψ_1^σ is of the form $[S: \chi!]$, ψ_2^τ is not, and $\sigma < \tau$, or else
- neither ψ_1^σ nor ψ_2^τ are parts of some $[S: \chi!]$, and $\tau < \sigma$, or else
- both ψ_1^σ and ψ_2^τ are of the form $[S: \chi!]$, and $\sigma < \tau$, or else
- $\sigma = \tau$, and ψ_1^σ is a part of ψ_2^τ , or else
- ψ_1 appears to the left of χ in φ .

The intuition behind such an ordering is to allow a model checking algorithm to deal with χ 's within $[S: \chi!]$'s before dealing with formulas within the scope of the modality. This way we ensure that, when we need to evaluate φ in $[S: \chi!]$ φ , we already know the effect of $[S: \chi!]$ on the model. As an example, consider $\varphi := [S_1: p \wedge q!] [S_2: q!] D_G p$. The resulting ordered list $\text{sub}(\varphi)$ is then $p, q, p \wedge q, [S_1: p \wedge q!], q^{[S_1: p \wedge q!]}, [S_2: q!]^{[S_1: p \wedge q!]}, p^{[S_1: p \wedge q!], [S_2: q!]}, D_G p^{[S_1: p \wedge q!], [S_2: q!]}, [S_2: q!] D_G p^{[S_1: p \wedge q!]}, \varphi$.

Note: each subformula of φ is labelled with exactly one (maybe empty) sequence of partial communication modalities. Moreover, we label communication modality symbols separately. The number of subformulas of φ and modality symbols is bounded by $\mathcal{O}(|\varphi|)$. Since each element of $\text{sub}(\varphi)$ is labelled by only one sequence of modalities, we use at most polynomial number of them.

Algorithm 1 An algorithm for global model checking for $\mathcal{L}_{S: \chi!}$

```

1: procedure GLOBALMC( $M, \varphi$ )
2:   for all  $\psi^\sigma \in \text{sub}(\varphi)$  do
3:     for all  $w \in W$  do
4:       case  $\psi^\sigma = D_G \chi^\sigma$ 
5:         check  $\leftarrow$  true
6:         for all  $(w, v) \in R_G$  do
7:           if  $(w, v)$  is labelled with  $\sigma$  then
8:             if  $v$  is not labelled with  $\chi^\sigma$  then
9:               check  $\leftarrow$  false
10:            break
11:         if check then
12:           label  $w$  with  $D_G \chi^\sigma$ 
13:       case  $\psi^\sigma = [S: \chi!]^\sigma$ 
14:         for all  $i \in A$  do
15:           for all  $(v, u) \in R_i$  do
16:             if  $(v, u)$  is labelled with  $\sigma$  then
17:               if  $v$  is labelled with  $\chi$  iff  $u$  is labelled with  $\chi$  then
18:                 label  $(v, u)$  with  $\sigma, [S: \chi!]$ 
19:             else
20:               check  $\leftarrow$  true
21:               for all  $j \in S$  do
22:                 if  $(v, u) \notin R_j$  then
23:                   check  $\leftarrow$  false
24:                 break
25:             if check then
26:               label  $(v, u)$  with  $\sigma, [S: \chi!]$ 
27:         case  $\psi^\sigma = [S: \chi!] \xi^\sigma$ 
28:           if  $w$  is labelled with  $\xi^\sigma, [S: \chi!]$  then
29:             label  $w$  with  $[S: \chi!] \xi^\sigma$ 

```

The labelling Algorithm 1 is inspired by that for epistemic logic [20]. The crucial difference is that, besides labelling states, we also label transitions (case $[S: \chi!]^\sigma$). This allows us to keep track of which relations ‘survive’ updates with partial communication

³That is, σ is a proper prefix of τ .

modalities. The labelling of transitions is taken into account when dealing with the epistemic case $D_G \chi^\sigma$: we check only transitions that have ‘survived’ at a current step of an algorithm run.

Correctness of the algorithm can be shown by an induction on φ , noting that cases of the algorithm mimic the definition of semantics. From a computational perspective, the preparation of $\text{sub}(\varphi)$ can be done in $\mathcal{O}(|\varphi|^2)$ steps. The running time of GLOBALMC is bounded by $\mathcal{O}(|\varphi|^2 \cdot |W| \cdot |A| \cdot |R|)$ for the case of $[S: \chi!]^\sigma$.

THEOREM 2.12. *The model checking problem for $\mathcal{L}_{S: \chi!}$ is in P.*

3 PARTIAL COMMUNICATION VS. PUBLIC ANNOUNCEMENTS

The action for partial communication is, in a sense, similar to that for a public announcement: both are epistemic actions through which agents receive information about the truth-value of a specific formula. The difference is that, while in the latter the information comes from an external source, in the former the information comes from agents in the model. It makes sense to discuss the relationship between their formal representations.

Under its standard definition [28], the public announcement of a formula ξ transforms a model by eliminating all $\neg \xi$ -worlds. For a fair comparison with partial communication, here is an alternative public announcement definition that rather removes all edges between worlds disagreeing on ξ 's truth-value [32].⁴

Definition 3.1 (Public announcement). Let $M = \langle W, R, V \rangle$ be a model; take a formula ξ . The model $M_{\xi!} = \langle W, R^{\xi!}, V \rangle$ is such that

$$R^{\xi!}_i := R_i \cap \sim_{\xi}^M.$$

Thus, $R^{\xi!}_G = R_G \cap \sim_{\xi}^M$.

The world-removing version and the edge-deleting alternative are collectively P-bisimilar ([16, Proposition A.1]), and thus interchangeable from \mathcal{L} 's perspective. Here is a modality for describing the operation's effect.

Definition 3.2 (Modality $[\xi!]$). The language $\mathcal{L}_{\xi!}$ extends \mathcal{L} with a modality $[\xi!]$ for ξ a formula.⁵ For their semantic interpretation,

$$(M, w) \models [\xi!] \varphi \quad \text{iff}_{\text{def}} \quad (M, w) \models \xi \text{ implies } (M_{\xi!}, w) \models \varphi.$$

Defining $\langle \xi! \rangle \varphi := \neg [\xi!] \neg \varphi$ implies $\models \langle \xi! \rangle \varphi \leftrightarrow (\xi \wedge [\xi!] \varphi)$.

It can be shown that $\mathcal{L}_{\xi!}$ is invariant under collective bisimilarity ([16, Theorem A.1]). An axiom system can be obtained by using the reduction axioms technique, with the crucial axiom being $[\xi!] D_G \varphi \leftrightarrow (\xi \rightarrow D_G [\xi!] \varphi)$ [41]. As before, the existence of the reduction axioms implies $\mathcal{L}_{\xi!} \preceq \mathcal{L}$. This, together with the straightforward $\mathcal{L} \preceq \mathcal{L}_{\xi!}$, implies $\mathcal{L} \approx \mathcal{L}_{\xi!}$: the languages \mathcal{L} and $\mathcal{L}_{\xi!}$ are equally expressive.

When comparing partial communication with public announcements, a first natural question is about the languages' relative expressivity. The answer is simple: $\mathcal{L}_{S: \chi!}$ and $\mathcal{L}_{\xi!}$ are both reducible to \mathcal{L} , and thus they are equally expressive.

⁴Cf. [17], which removes only edges pointing to $\neg \xi$ -worlds. The option used here has the advantage of behaving, with respect to the preservation of certain relational properties (reflexivity, symmetry, transitivity), as the standard definition does.

⁵More precisely, $\mathcal{L}_{\xi!}^1$ extends $\mathcal{L}_{\xi!}^0 = \mathcal{L}$ with $[\xi!]$ for $\xi \in \mathcal{L}_{\xi!}^0$, $\mathcal{L}_{\xi!}^2$ extends $\mathcal{L}_{\xi!}^1$ with $[\xi!]$ for $\chi \in \mathcal{L}_{S: \chi!}^1$ and so on. The language $\mathcal{L}_{\xi!}$ is then defined as $\bigcup_{i \in \mathbb{N}} \mathcal{L}_{\xi!}^i$.


At the semantic level, one might wonder whether the operations can ‘mimic’ each other. More precisely, one can ask the following.

- Given $\xi \in \mathcal{L}$: are there $S \subseteq A$, $\chi \in \mathcal{L}$ such that $M_{\xi!} \rightleftharpoons_C M_{S;\chi!}$ for every M ? (In symbols: $\forall \xi. \exists S. \exists \chi. \forall M. (M_{\xi!} \rightleftharpoons_C M_{S;\chi!})$?)
- Given $S \subseteq A$, $\chi \in \mathcal{L}$: is there $\xi \in \mathcal{L}$ such that $M_{S;\chi!} \rightleftharpoons_C M_{\xi!}$ for every M ? (In symbols: $\forall S. \forall \chi. \exists \xi. \forall M. (M_{S;\chi!} \rightleftharpoons_C M_{\xi!})$?)

Some known model-update operations have this relationship. For example, action models [9] generalise a standard public announcement: for every formula ξ there is an action model that, when applied to any model, produces exactly the one that a public announcement of ξ does. For another example, edge-deleting versions of a public announcement (both that in [17] and that in Definition 3.1) can be represented within the arrow update framework of [24].

Here, the answer to the first question is straightforward: the agents might not have, even together, the information that a public announcement provides.

FACT 3.3. Take $A = \{a\}$ and $P = \{p\}$; consider the (reflexive and symmetric) model M below on the left. A public announcement of p yields the model on the right.




Now, there is no $S \subseteq A$ and $\chi \in \mathcal{L}$ such that $M_{S;\chi!} \rightleftharpoons_C M_{p!}$. The group S can be only \emptyset or $\{a\}$ and, in both cases, $R^{S;\chi!}_a = R_a$, regardless of the formula χ .

Thus, $\forall M. \forall \xi. \exists S. \exists \chi. (M_{\xi!} \rightleftharpoons_C M_{S;\chi!})$ fails: for the given model, the effect of a public announcement of p cannot be replicated by any act of partial communication. This answers negatively the (stronger) first question above: there are no agents S and topic χ that can replicate the given public announcement in every model.

The answer to the second question is interesting: through partial communication, the agents can reach epistemic states that cannot be reached by a public announcement.

FACT 3.4. Take $A = \{a, b\}$ and $P = \{p, q\}$; consider the (reflexive and symmetric) model M below on the left. A partial communication between all agents about $p \leftrightarrow q$ (equivalence classes highlighted) yields the model on the right.



Now, there is no $\xi \in \mathcal{L}$ such that $M_{\xi!} \rightleftharpoons_C M_{\{a,b\};(p \leftrightarrow q)!}$. For this, note that a public announcement preserves transitive indistinguishability relations; yet, while M is transitive, $M_{\{a,b\};(p \leftrightarrow q)!}$ is not.

Thus, $\forall M. \forall S. \forall \chi. \exists \xi. (M_{S;\chi!} \rightleftharpoons_C M_{\xi!})$ fails: for the provided model, the effect of a ‘conversation’ among a and b on $p \leftrightarrow q$ cannot be replicated by any public announcement. This answers negatively the (stronger) second question above: there is no χ that can replicate the given partial communication in every model.

4 ARBITRARY PARTIAL COMMUNICATION

The partial communication framework allows us to model inter-agent information exchange. Yet, consider competitive scenarios.

While it is interesting to find out what a form of partial communication can achieve (fix the agents and the topic, then find the consequences), one might be also interested in deciding whether a given goal can be achieved by *some* form of partial communication (fix the *goal*: is there a group of agents and a topic that can achieve it?). This *quantification* over the sharing agents and the topic they discuss adds a *strategic* dimension to the framework. This is particularly useful when communication occurs over an insecure channel, as one would like to know *whether* some form of partial communication (who talks, and on which topic) can achieve a given goal (e.g., make something group or common knowledge while also precluding adversaries or eavesdroppers from learning it, as in [33]). Thus, in the spirit of [6], one can then *quantify*, either over the agents that communicate or over the topic they discuss.

Quantifying over the communicating agents does not need additional machinery: A is finite, so a modality stating that “ φ is true after any group of agents share all their information about χ ” is definable as $[S;\chi!]\varphi := \bigwedge_{S \subseteq A} [S;\chi!]\varphi$. Quantifying over the topic, though, requires additional tools.

4.1 Language, Semantics, and Basic Results

Definition 4.1 (Modality $[S;*\!]$). The language $\mathcal{L}_{S;\chi!}^*$ extends $\mathcal{L}_{S;\chi!}$ with a modality $[S;*\!]$ for each group of agents $S \subseteq A$. More precisely, take $\mathcal{L}_{S;\chi!}^{*,0} = \mathcal{L}^*$ to be \mathcal{L} plus $[S;*\!]$. Then, define $\mathcal{L}_{S;\chi!}^{*,i+1}$ as the result of extending $\mathcal{L}_{S;\chi!}^{*,i}$ with $[S;\chi!]$ for $S \subseteq A$ and $\chi \in \mathcal{L}_{S;\chi!}^{*,i}$. The language $\mathcal{L}_{S;\chi!}^*$ is defined as $\bigcup_{i \in \mathbb{N}} \mathcal{L}_{S;\chi!}^{*,i}$. For the semantic interpretation,

$$(M, w) \models [S;*\!]\varphi \text{ iff}_{def} \text{ every } \chi \in \mathcal{L} \text{ is s.t. } (M_{S;\chi!}, w) \models \varphi \\ \text{(every } \chi \in \mathcal{L} \text{ is s.t. } (M, w) \models [S;\chi!]\varphi).$$

If one defines $\langle S;*\! \rangle \varphi := \neg [S;*\!]\neg \varphi$, then

$$(M, w) \models \langle S;*\! \rangle \varphi \text{ iff}_{def} \text{ there is } \chi \in \mathcal{L} \text{ s.t. } (M_{S;\chi!}, w) \models \varphi.$$

The size of $\varphi \in \mathcal{L}_{S;\chi!}^*$ is defined as in Theorem 2.9 with the following additional clause: $|[S;*\!]\varphi| := |\varphi| + 1$.

Note: $[S;*\!]$ quantifies over formulas in \mathcal{L} , and not over formulas in $\mathcal{L}_{S;\chi!}^*$. As in [6], this is to avoid circularity issues. One could have also chosen to quantify over formulas in $\mathcal{L}_{S;\chi!}$, but $\mathcal{L} \approx \mathcal{L}_{S;\chi!}$ (Page 3) so nothing is lost by using \mathcal{L} instead.⁶

Axiom system. Axiomatising $\mathcal{L}_{S;\chi!}^*$ requires an additional notion.

Definition 4.2 (Necessity Forms). Take $\varphi \in \mathcal{L}_{S;\chi!}^*$, $\chi \in \mathcal{L}$, $S, G \subseteq A$ and $\# \notin P$. The set of *necessity forms* [18] is given by

$$\eta(\#) ::= \# \mid \varphi \rightarrow \eta(\#) \mid D_G \eta(\#) \mid [S;\chi!]\eta(\#)$$

The result of replacing $\#$ with φ in $\eta(\#)$ is denoted as $\eta(\varphi)$.

The (note: *infinitary*) axiom system for $\mathcal{L}_{S;\chi!}^*$ is given by the axioms and rules on Tables 1, 2 and 3. The system is similar to well-known axiomatisations of other logics of quantified epistemic actions (see [35] for an overview). In Table 3, the soundness of $A_{[S;*\!]}$ and $R_{[S;*\!]}$ follow from $[S;*\!]$ ’s semantic interpretation.

⁶Still, for languages with other types of group knowledge, adding a dynamic modality might increase the expressive power. For more on this (in the context of common knowledge and quantified announcements), the reader is referred to [15].

Table 3: Axiom and rule of inference for the arbitrary case.

$A_{S:*\!}:$	$\vdash [S:*\!] \varphi \rightarrow [S:\chi!] \varphi \quad \text{for } \chi \in \mathcal{L}$
$R_{S:*\!}:$	If $\vdash \eta([S:\chi!] \varphi)$ for all $\chi \in \mathcal{L}$, then $\vdash \eta([S:*\!] \varphi)$

Completeness of the whole system can be shown by combining and adapting techniques from [41] (to deal with distributed knowledge) and [7] (to tackle quantifiers). The reader interested in details is referred to [1], where the authors presented a relatively similar completeness proof for a system with distributed knowledge and quantification over public announcements.

THEOREM 4.3. *The axioms and rules on Tables 1, 2 and 3 are sound and (together) complete for $\mathcal{L}_{S:\chi!}^*$.*

Structural equivalence. The modality $[S:*\!]$ is also invariant under collective bisimilarity.

THEOREM 4.4 (\rightleftharpoons_C IMPLIES $\mathcal{L}_{S:\chi!}^*$ -EQUIVALENCE). *Let (M, w) and (M', w') be two pointed models. If $(M, w) \rightleftharpoons_C (M', w')$ then, for every $\psi \in \mathcal{L}_{S:\chi!}^*$,*

$$(M, w) \models \psi \quad \text{if and only if} \quad (M', w') \models \psi.$$

PROOF. As for Theorem 2.11 (this is [16, Theorem 4.4]). \square

Expressivity. The modality $[S:*\!]$ adds expressive power.

THEOREM 4.5. *$\mathcal{L}_{S:\chi!}^*$ is strictly more expressive than $\mathcal{L}_{S:\chi!}$.*

This result can be proven as the analogous result for APAL [6, Proposition 3.13]. Assume towards a contradiction that the languages are equally expressive so, given a formula in $\mathcal{L}_{S:\chi!}^*$, there is an equivalent formula in $\mathcal{L}_{S:\chi!}$. Since both formulas are finite, there is an atom p that appears in neither. However, $[S:*\!]$ in $\mathcal{L}_{S:\chi!}^*$ quantifies over any formula, and thus over formulas including p . With this, one can build two models that include worlds that satisfy p . Then, using induction, we can show that the formula in $\mathcal{L}_{S:\chi!}$ (without p) cannot tell the models apart, while the formula in $\mathcal{L}_{S:\chi!}^*$ (where quantification ranges also over formulas with p) can. This technique is used (with more details) in the proofs in Section 4.3.

4.2 Model Checking

The complexity of the model checking problem for $\mathcal{L}_{S:\chi!}^*$ is PSPACE-complete: this is in line with the complexity of other logics of quantified information change as, e.g., arbitrary public announcements [6], group announcement logic [2], coalition announcement logic [4] and arbitrary arrow update logic [38]. However, this case has an interesting twist. Model checking algorithms for the aforementioned logics compute a bisimulation contraction of the model, and then continue working on the contracted model. This is not possible in our case: a model and its *collective* bisimulation contraction are not collectively bisimilar [29]: they might differ in some formulas' truth-value. We still compute bisimulation contractions, but we use them just to inform our algorithm about bisimilar states. The computation continues on the original non-contracted model.

Definition 4.6 (S-definable restrictions). Let (M, w) be a pointed model; take $S \subseteq A$. A model (N, w) is an S-definable restriction of (M, w) if and only if $(N, w) = (M_S, \chi!, w)$ for some $\chi \in \mathcal{L}_{S:\chi!}^*$.

FACT 4.7. *Let (M, w) be a finite pointed model. Then there is a finite number of S-definable restrictions of (M, w) .*

The proof below presents an algorithm $MC(M, w, \varphi)$ that returns *true* if and only if $(M, w) \models \varphi$, and returns *false* if and only if $(M, w) \not\models \varphi$. The main challenge is that modalities $[S:*\!]$ quantify over an *infinite* number of formulas. However, for any given *finite* model M , there is only a *finite* number of possible S-definable model restrictions. Showing that the problem is PSPACE-hard uses the classic reduction from the satisfiability of QBF.

THEOREM 4.8. *The model checking for $\mathcal{L}_{S:\chi!}^*$ is PSPACE-complete.*

PROOF. Let (M, w) be a pointed model, and $\varphi \in \mathcal{L}_{S:\chi!}^*$. In Algorithm 2, Boolean cases and the case for D_G are as expected, and thus omitted.

Algorithm 2 An algorithm for model checking for $\mathcal{L}_{S:\chi!}^*$

```

1: procedure MC(M, w, φ)
2:   case φ = [S:χ!] ψ
3:     return MC(MS, χ!, w, ψ)
4:   case φ = [S:*\!] ψ
5:     Compute collective P-bisimulation contraction ||M||C
6:     for all S-definable restrictions (N, w) of (M, w) do
7:       if MC(N, w, ψ) returns false then
8:         return false
9:     return true

```


The basic idea in the construction of S-definable restrictions is to consider a subset of all possible bipartitions of (M, w) , taking care that bisimilar states end up in the same partition. This can be done by checking that for each state, if it is in a partition, then all states in the same collective bisimulation equivalence class are also in the same partition. Collective bisimulation equivalence classes can be computed by, e.g., a modification of Kanellakis-Smolka algorithm [23] that takes into account not only relations but also intersections thereof. Having computed collective bisimulation equivalence classes of (M, w) , one can construct an S-definable restriction of the model by taking a bipartition such that if v belongs to one partition, then all $u \in [v]$ also belong to the same partition, with $[v]$ being a collective bisimulation equivalence class.

Constructing restrictions takes polynomial time and thus space. The space required for the case of $[S:\chi!] \psi$ is bounded by $O(|\varphi| \cdot |M|)$. For the case of $[S:*\!] \psi$, collective bisimulation contraction can be computed in polynomial time and space, and each restriction has a size of at most $|M|$. If one traverses a given formula depth-first and reuses memory, the space to store model restrictions is polynomial in $|\varphi|$ (even though the algorithm itself runs in exponential time). Thus, the space required for the case of $[S:*\!] \psi$ is bounded by $O(|\varphi| \cdot |M|)$.

Finally, since computing each subformula of φ requires space bounded by $O(|\varphi| \cdot |M|)$, the space required by the whole algorithm is bounded by $O(|\varphi|^2 \cdot |M|)$. The algorithm follows closely the semantics of $\mathcal{L}_{S:\chi!}^*$, and correctness can be shown via induction on φ . For the case of quantifiers note that, in order to switch from bipartitions to particular formulas corresponding to those partitions, one can use characteristic formulas [36]. These formulas are built

in such a way that they are true only in one state of a model (up to collective bisimilarity).

For showing *PSPACE*-hardness, use the classic reduction from the satisfiability of QBF. W.l.o.g., consider QBFs without free variables in which every variable is quantified only once. Consider a QBF with n variables $\{x_1, \dots, x_n\}$. We need a model and a formula in $\mathcal{L}_{S;\chi}^*$ that are both of polynomial size of the QBF. The (reflexive and symmetric) model M^n below satisfies this: w_0 is the evaluation point, and for each variable x_i there are two states, w_i^1 and w_i^0 , corresponding respectively to evaluating x_i to 1 and to 0. Assume that each w_i^1 satisfies only p_i and each w_i^0 satisfies only q_i .



Let $\Psi := Q_1 x_1 \dots Q_n x_n \Phi(x_1, \dots, x_n)$ be a quantified Boolean formula (so $Q_i \in \{\forall, \exists\}$ and $\Phi(x_1, \dots, x_n)$ is Boolean). The formula $chosen_k$ below indicates, intuitively, that the values (either 1 or 0) of the first k variables have been chosen.

$$chosen_k := \bigwedge_{1 \leq i \leq k} (\widehat{K}_a p_i \leftrightarrow \neg \widehat{K}_a q_i) \wedge \bigwedge_{k < i \leq n} (\widehat{K}_a p_i \wedge \widehat{K}_a q_i).$$

Here is, then, a recursive translation from a QBF Ψ to a formula ψ in $\mathcal{L}_{S;\chi}^*$: $\psi_0 := \Phi(\widehat{K}_a p_1, \dots, \widehat{K}_a p_n)$,

$$\psi_k := \begin{cases} [\{a, b\} : *!](chosen_k \rightarrow \psi_{k-1}) & \text{if } Q_k = \forall \\ \langle \{a, b\} : *! \rangle (chosen_k \wedge \psi_{k-1}) & \text{if } Q_k = \exists \end{cases},$$

$\psi := \psi_n$. We need to show that

$$Q_1 x_1 \dots Q_n x_n \Phi(x_1, \dots, x_n) \text{ is satisfiable} \quad \text{if and only if} \\ (M^n, w_0) \models \psi.$$

For this, observe that each state in M^n can be characterised by a unique formula. Moreover, relation b is the identity. Therefore, $[\{a, b\} : *!]$ and $\langle \{a, b\} : *! \rangle$ can force any restriction of a -arrows from w_0 to w_i 's. In the model, states w_i^1 and w_i^0 correspond the truth-value of x_i . The guard $chosen_k$ guarantees that only the truth-values of the first k variables have been chosen, and that they have been chosen unambiguously (i.e. there is exactly one edge from w_0 to either w_i^1 and w_i^0). Thus, together with $[\{a, b\} : *!]$ and $\langle \{a, b\} : *! \rangle$, the guards $chosen_k$ emulate \forall and \exists . Then, once the values of all x_i 's have been set, the evaluation of the QBF corresponds to the a -reachability of the corresponding states in M^n . \square

4.3 Arbitrary Partial Communication vs. Arbitrary Public Announcements

The languages $\mathcal{L}_{S;\chi}^*$ and \mathcal{L}_{ξ}^* are equally expressive (both 'reduce' to \mathcal{L}). As it is shown below, this changes when quantification (over topics and announced formulas, respectively) is added.

Definition 4.9. The language \mathcal{L}_{ξ}^* extends $\mathcal{L}_{S;\chi}^*$ with a modality $[*!]$ such that


$$(M, w) \models [*!] \varphi \text{ iff}_{def} \text{ for every } \chi \in \mathcal{L}: (M, w) \models [\chi!] \varphi.^7$$

Define $\langle *! \rangle \varphi := \neg [*!] \neg \varphi$, as usual.

The theorem below shows that \mathcal{L}_{ξ}^* and $\mathcal{L}_{S;\chi}^*$ are incomparable w.r.t. expressive power (i.e., $\mathcal{L}_{S;\chi}^* \not\equiv \mathcal{L}_{\xi}^*$ and $\mathcal{L}_{\xi}^* \not\equiv \mathcal{L}_{S;\chi}^*$). This result is obtained by adapting techniques and models from [6] and [38] to the case of partial communication.⁸

THEOREM 4.10. \mathcal{L}_{ξ}^* , $\mathcal{L}_{S;\chi}^*$ are incomparable, expressivity-wise.


PROOF. For $\mathcal{L}_{S;\chi}^* \not\equiv \mathcal{L}_{\xi}^*$, consider $\langle \{a, b\} : *! \rangle (K_b p \wedge \neg K_b K_b p)$ in $\mathcal{L}_{S;\chi}^*$. For a contradiction, assume there is an equivalent $\alpha \in \mathcal{L}_{\xi}^*$. Since α is finite, there is an atom q that does not occur in it. The strategy consists in building two $P \setminus \{q\}$ -bisimilar pointed models, then argue that they can be distinguished by $\langle \{a, b\} : *! \rangle (K_a p \wedge \neg K_a K_a p)$ but not by any α . Consider the (reflexive and symmetric) models below.



Note how $(M, w) \not\models \langle \{a, b\} : *! \rangle (K_a p \wedge \neg K_a K_a p)$: making $K_a p \wedge \neg K_a K_a p$ true at w requires deleting the symmetric a -edge between w and u (so $K_a p$ holds), but this makes u inaccessible for a from w (thus $\neg K_a K_a p$ fails). Yet, $(M', w_1) \models \langle \{a, b\} : *! \rangle (K_a p \wedge \neg K_a K_a p)$: a 'conversation' among $\{a, b\}$ about $p \leftrightarrow q$ produces the desired result (see Fact 3.4).

To show that (M, w) and (M', w_1) cannot be distinguished by a q -less formula α in \mathcal{L}_{ξ}^* , use structural induction over α and submodels of M and M' . Both models are collectively $P \setminus \{q\}$ -bisimilar (witness: $\{(w, w_1), (w, w_2), (u, u')\}$), so the case for atoms is immediate. As an induction hypothesis, we state that the current submodels of M and M' are collectively $P \setminus \{q\}$ -bisimilar. Boolean, epistemic, and public announcement cases follow from Theorem 2.7. Finally, for $[*!]$ observe that for each announcement in one submodel we can always find a corresponding announcement in the other submodel such that the resulting updated models are collectively $P \setminus \{q\}$ -bisimilar. This is due to the fact that each state in both models is uniquely defined by a Boolean formula containing only atoms p and q . Moreover, all possible updates of $P \setminus \{q\}$ -bisimilar submodels are given by the aforementioned witness: $\{(w, w_1), (w, w_2), (u, u')\}$. E.g. if a submodel of M' contains only states w_1' and w_2' , then the corresponding submodel of M would contain only state w .

To show $\mathcal{L}_{\xi}^* \not\equiv \mathcal{L}_{S;\chi}^*$, proceed in a similar fashion: consider $\langle *! \rangle (K_b p \wedge \neg K_b K_b p)$ in \mathcal{L}_{ξ}^* and assume there is an equivalent $\beta \in \mathcal{L}_{S;\chi}^*$. Let q be an atom not occurring in β , and consider the (reflexive and symmetric) models below.



⁷Thus, \mathcal{L}_{ξ}^* extends the language from [6] with the distributed knowledge modality.

⁸For space reasons, we do not present the whole argument here.

Note how $(M, w_1) \not\models \langle *! \rangle (K_b p \wedge \neg K_b K_b p)$ (an announcement preserves transitivity). Yet, $(M', w'_1) \models \langle *! \rangle (K_b p \wedge \neg K_b K_b p)$: the announcement of $q \rightarrow p$ (equivalence classes highlighted) produces the desired result. To show that (M, w_1) and (M', w'_1) cannot be distinguished by a q -less formula in $\mathcal{L}_{S;\chi}^*$, use structural induction. For $\langle S; *! \rangle$, observe that the pointed models are collectively $P \setminus \{q\}$ -bisimilar (witness: $\{(w_1, w'_1), (w_2, w'_2), (u, u'_1), (u, u'_2)\}$) and that, for each update in one model, there is an update in the other that preserves collective $P \setminus \{q\}$ -bisimilarity. As in the previous case, each state is uniquely characterised by a Boolean formula containing only atoms p and q . This allows us to consider all possible bipartitions of the models, and the witness helps to build a corresponding model. E.g., if there is a relation between w'_1 and u'_1 , then we need to preserve the same relation between w_1 and u . \square

5 DISCUSSION

This paper studies further the partial communication framework of [39]. As such, it makes sense to argue, albeit briefly, for the use of this setting as well as that of its introduced extension.

A first concern might be that, although communication *between agents* is a crucial form of interaction, the public announcement logic (PAL) framework has been already used for modelling it (e.g., [2, 34]). Here we argue that this strategy might not be fully suited. A PAL announcement actually requires two parameters: the announcement's precondition and the information the agents receive. When this announcement is understood as information coming from an external source, it is clear what these two parameters are, and it is clear they are the same: in order to be 'announced', ξ must be true, and after the announcement the agents learn that ξ is the case.⁹ But when this setting is used for communication between agents, precondition and information content are not straightforward, and they might differ. When *an agent* i announces ξ , what is the precondition? It cannot be only ξ ; is it enough that the agent knows ξ (i.e., $K_i \xi$), or should she be introspective about it (i.e., $K_i K_i \xi$)? Analogously, what is what the other agents learn? They learn not only that ξ is true; do they learn that the agent knows ξ (i.e., $K_i \xi$), or even that she knows that she knows ξ (i.e., $K_i K_i \xi$)?

These questions naturally extend to situations of group communication. In group announcement logic [2], an announcement from a group S is represented by the public announcement of $\bigwedge_{i \in S} K_i \xi_i$: each agent $i \in S$ announces, in parallel with the others, a formula she knows. However, other readings may be more appropriate: the group might announce something that is common knowledge among its members, or even announce something they all know distributively. These alternative readings are more naturally represented by the actions introduced in [3, 8, 10], of which partial communication is a novel variation.

Then, in the partial communication setting, although only some of the agents share, this information is received by every agent in the system. One might be interested in more complex 'private communication' scenarios, as those in which only some agents receive the shared information (cf., e.g., [10]). Still, this 'everybody hears' setting is useful for modelling classroom or meeting-like scenarios in which everybody 'hears' but only some get to 'talk', or for situations in which the communication channel is insecure, and

⁹More precisely, they learn ξ was the case immediately before its announcement.

thus privacy cannot be assumed. Instead of looking at extensions for modelling private communication, this paper has rather focused on the strategic aspects that arise in competitive situations. In such cases, one wonders whether there is a form of partial communication that can achieve a given goal (e.g., [33]). The arbitrary partial communication of Section 4 can help to answer such questions.

6 SUMMARY AND FURTHER WORK

The focus of this paper is the action of *partial communication*. Through it, a group of agents S share, with every agent in the model, all the information they have about the truth-value of a formula χ . Semantically, this is represented by an operation through which the uncertainty of each agent is reduced by removing the uncertainty *about* χ some agent in S has already ruled out. After recalling the basics of this framework, we proved that its language $\mathcal{L}_{S;\chi}^*$ is invariant under collective bisimulation, showing also that the complexity of its model checking problem remains in P , as standard epistemic logic [20]. It has been also shown that, while the expressivity of $\mathcal{L}_{S;\chi}^*$ is exactly that of the language for public announcements (both reducible to \mathcal{L}), their 'update expressive power' are incomparable. The focus has then shifted to a modal operator that quantifies over the topic of the communication: a setting for *arbitrary* partial communication. We have provided the operator's semantic interpretation as well as an axiom system and invariance results for the resulting language $\mathcal{L}_{S;\chi}^*$. We have also proved that the model checking problem for the new language $\mathcal{L}_{S;\chi}^*$ is PSPACE-complete, similar to DELs with action models [5, 13] and logics with quantification over information change [2, 4, 6, 38]. Finally, we showed that $\mathcal{L}_{S;\chi}^*$ is, expressivity-wise, incomparable to the language of *arbitrary* public announcements.

The framework for partial communication provides, arguably, a natural representation of communication between agents. Indeed, it works directly with the information (i.e., uncertainty) the agents have, instead of looking for formulas that are known by the agents, and then using them as announcements (as done, e.g., when dealing with group announcements [2]). Additionally, the results show that this action is a truly novel epistemic action, different from others as public announcements.

There is still further work to do. In the current version of the setting, some questions still need an answer. An important one is that collective bisimulation is not 'well-behaved': a model and its collective bisimulation contraction are not collectively bisimilar [29]. One then wonders whether there is a more adequate notion of structural equivalence for the basic language \mathcal{L} and its extensions. Then, with the partial communication setting already compared with that for public announcements (in both their basic and their 'arbitrary' versions), one would like to compare it also with the setting for group announcements [2], and even with those for more general edge-removing operations (e.g., the arrow update setting [24]). Finally, one can expand the presented framework. For example, one can extend the languages used here by adding a *common knowledge* operator, a step that requires technical further tools [3, 10, 15]. Equally interesting is a generalisation in which the topic of conversation is rather a set of formulas, together with its connection with other forms of communication (e.g., one in which some agents share *all they know* with everybody).

REFERENCES

- [1] Thomas Ágotnes, Natasha Alechina, and Rustam Galimullin. 2022. Logics with Group Announcements and Distributed Knowledge: Completeness and Expressive Power. *Journal of Logic, Language and Information* 31, 2 (2022), 141–166. <https://doi.org/10.1007/s10849-022-09355-0>
- [2] Thomas Ágotnes, Philippe Balbiani, Hans van Ditmarsch, and Pablo Seban. 2010. Group announcement logic. *Journal of Applied Logic* 8, 1 (2010), 62–81. <https://doi.org/10.1016/j.jal.2008.12.002>
- [3] Thomas Ágotnes and Yi N. Wang. 2017. Resolving distributed knowledge. *Artificial Intelligence* 252 (2017), 1–21. <https://doi.org/10.1016/j.artint.2017.07.002>
- [4] Natasha Alechina, Hans van Ditmarsch, Rustam Galimullin, and Tuo Wang. 2021. Verification and Strategy Synthesis for Coalition Announcement Logic. *Journal of Logic, Language and Information* 30, 4 (2021), 671–700. <https://doi.org/10.1007/s10849-021-09339-6>
- [5] Guillaume Aucher and François Schwarzentruber. 2013. On the Complexity of Dynamic Epistemic Logic. In *Proceedings of the 14th TARK*, Burkhard C. Schipper (Ed.).
- [6] Philippe Balbiani, Alexandru Baltag, Hans van Ditmarsch, Andreas Herzig, Tomohiro Hoshi, and Tiago de Lima. 2008. 'Knowable' as 'known after an announcement'. *The Review of Symbolic Logic* 1, 3 (2008), 305–334. <https://doi.org/10.1017/S1755020308080210>
- [7] Philippe Balbiani and Hans van Ditmarsch. 2015. A simple proof of the completeness of APAL. *Studies in Logic* 8, 2 (2015), 65–78.
- [8] Alexandru Baltag. 2010. What is DEL good for? (2010). <http://ai.stanford.edu/~epacuit/loqratt/esslli2010-slides/copenhagenesslli.pdf> Workshop on Logic, Rationality and Intelligent Interaction.
- [9] Alexandru Baltag, Lawrence S. Moss, and Sławomir Solecki. 1998. The Logic of Public Announcements and Common Knowledge and Private Suspicions. In *Proceedings of the 7th TARK*, Itzhak Gilboa (Ed.). Morgan Kaufmann, 43–56.
- [10] Alexandru Baltag and Sonja Smets. 2020. Learning What Others Know. In *LPAR 2020 (EPIc Series in Computing, Vol. 73)*, Elvira Albert and Laura Kovács (Eds.). EasyChair, 90–119. <https://doi.org/10.29007/plm4>
- [11] Alexandru Baltag and Sonja Smets. 2021. Learning What Others Know. *CoRR abs/2109.07255* (2021). [arXiv:2109.07255](https://arxiv.org/abs/2109.07255) <https://arxiv.org/abs/2109.07255>
- [12] Boudewijn de Bruin. 2010. *Explaining Games: The Epistemic Programme in Game Theory*. Springer, Dordrecht. <https://doi.org/10.1007/978-1-4020-9906-9>
- [13] Ronald de Haan and Iris van de Pol. 2021. On the Computational Complexity of Model Checking for Dynamic Epistemic Logic with S5 Models. *FLAP* 8, 3 (2021), 621–658.
- [14] Ronald Fagin, Joseph Y. Halpern, Yoram Moses, and Moshe Y. Vardi. 1995. *Reasoning about knowledge*. The MIT Press, Cambridge, Mass.
- [15] Rustam Galimullin and Thomas Ágotnes. 2021. Quantified Announcements and Common Knowledge. In *Proceedings of the 20th AAMAS*, Frank Dignum, Alessio Lomuscio, Ulle Endriss, and Ann Nowé (Eds.). ACM, 528–536. <https://dl.acm.org/doi/10.5555/3463952.3464018>
- [16] Rustam Galimullin and Fernando R. Velázquez-Quesada. 2023. (Arbitrary) Partial Communication. <https://doi.org/10.48550/ARXIV.2302.12090> [arXiv:2109.07255](https://arxiv.org/abs/2109.07255)
- [17] Jelle Gerbrandy and Willem Groeneveld. 1997. Reasoning about information change. *Journal of Logic, Language, and Information* 6, 2 (1997), 147–196. <https://doi.org/10.1023/A:1008222603071>
- [18] Robert Goldblatt. 1982. *Axiomatizing the Logic of Computer Programming*. LNCS, Vol. 130. Springer. <https://doi.org/10.1007/BFb0022481>
- [19] Joseph Y. Halpern and Yoram Moses. 1990. Knowledge and Common Knowledge in a Distributed Environment. *Journal of the ACM* 37, 3 (1990), 549–587. <https://doi.org/10.1145/79147.79161>
- [20] Joseph Y. Halpern and Yoram Moses. 1992. A Guide to Completeness and Complexity for Modal Logics of Knowledge and Belief. *Artificial Intelligence* 54, 2 (1992), 319–379. [https://doi.org/10.1016/0004-3702\(92\)90049-4](https://doi.org/10.1016/0004-3702(92)90049-4)
- [21] Vincent F. Hendricks (Ed.). 2006. *8 Bridges between Formal and Mainstream Epistemology*. *Philosophical Studies*, 128(1).
- [22] Jaakko Hintikka. 1962. *Knowledge and Belief*. Cornell University Press, Ithaca, NY.
- [23] Paris C. Kanellakis and Scott A. Smolka. 1990. CCS Expressions, Finite State Processes, and Three Problems of Equivalence. *Information and Computation* 86, 1 (1990), 43–68. [https://doi.org/10.1016/0890-5401\(90\)90025-D](https://doi.org/10.1016/0890-5401(90)90025-D)
- [24] Barteld Kooi and Bryan Renne. 2011. Arrow Update Logic. *The Review of Symbolic Logic* 4, 4 (2011), 536–559. <https://doi.org/10.1017/S1755020311000189>
- [25] Louwe B. Kuijser. 2015. An Arrow-based Dynamic Logic of Norms. In *Proceedings of the 3rd SR*, Julian Gutierrez, Fabio Mogavero, Aniello Murano, and Michael Wooldridge (Eds.), 1–11.
- [26] Carsten Lutz. 2006. Complexity and succinctness of public announcement logic. In *Proceedings of the 5th AAMAS*, Hideyuki Nakashima, Michael P. Wellman, Gerhard Weiss, and Peter Stone (Eds.). ACM, 137–143. <https://doi.org/10.1145/1160633.1160657>
- [27] John-Jules Ch. Meyer and Wiebe van der Hoek. 1995. *Epistemic Logic for AI and Computer Science*. CUP. <https://doi.org/10.1017/CBO9780511569852>
- [28] Jan A. Plaza. 1989. Logics of public communications. In *Proceedings of the 4th International Symposium on Methodologies for Intelligent Systems*, M. L. Emrich, M. S. Pfeifer, M. Hadzikadic, and Z. W. Ras (Eds.), 201–216.
- [29] Floris Roelofsen. 2005. Bisimulation and Distributed Knowledge Revisited. (2005). Available at <https://projects.illc.uva.nl/lgc/papers/d-know.pdf>.
- [30] Floris Roelofsen. 2007. Distributed knowledge. *Journal of Applied Non-Classical Logics* 17, 2 (2007), 255–273. <https://doi.org/10.3166/jancl.17.255-273>
- [31] Johan van Benthem. 2011. *Logical Dynamics of Information and Interaction*. CUP.
- [32] Johan van Benthem and Fenrong Liu. 2007. Dynamic logic of preference upgrade. *Journal of Applied Non-Classical Logics* 17, 2 (2007), 157–182. <https://doi.org/10.3166/jancl.17.157-182>
- [33] Hans van Ditmarsch. 2003. The Russian Cards Problem. *Studia Logica* 75, 1 (2003), 31–62. <https://doi.org/10.1023/A:1026168632319>
- [34] Hans van Ditmarsch. 2014. Dynamics of lying. *Synthese* 191, 5 (2014), 745–777. <https://doi.org/10.1007/s11229-013-0275-3>
- [35] Hans van Ditmarsch. 2020. To Be Announced. *CoRR abs/2004.05802* (2020). [arXiv:2004.05802](https://arxiv.org/abs/2004.05802) <https://arxiv.org/abs/2004.05802>
- [36] Hans van Ditmarsch, David Fernández-Duque, and Wiebe van der Hoek. 2014. On the definability of simulation and bisimulation in epistemic logic. *Journal of Logic and Computation* 24, 6 (2014), 1209–1227. <https://doi.org/10.1093/logcom/exs058>
- [37] Hans van Ditmarsch, Wiebe van der Hoek, and Barteld Kooi. 2008. *Dynamic Epistemic Logic*. Springer, Dordrecht, The Netherlands. <https://doi.org/10.1007/978-1-4020-5839-4>
- [38] Hans van Ditmarsch, Wiebe van der Hoek, Barteld Kooi, and Louwe B. Kuijser. 2017. Arbitrary arrow update logic. *Artificial Intelligence* 242 (2017), 80–106. <https://doi.org/10.1016/j.artint.2016.10.003>
- [39] Fernando R. Velázquez-Quesada. 2022. Communication between agents in dynamic epistemic logic. *CoRR abs/2210.04656* (2022). <https://doi.org/10.48550/arXiv.2210.04656> [arXiv:2210.04656](https://arxiv.org/abs/2210.04656)
- [40] Yanjing Wang and Qinxiang Cao. 2013. On axiomatizations of public announcement logic. *Synthese* 190, Supplement-1 (2013), 103–134. <https://doi.org/10.1007/s11229-012-0233-5>
- [41] Yi N. Wang and Thomas Ágotnes. 2013. Public announcement logic with distributed knowledge: expressivity, completeness and complexity. *Synthese* 190, Supplement-1 (2013), 135–162. <https://doi.org/10.1007/s11229-012-0243-3>